

TECHNICAL SPECIFICATION Sandvik HL300 hydraulic rock drill is designed for long-hole production drilling on surface and rock bolting in hard rock bolting in underground hard rock ...

MAIN CHARACTERISTICS The HL1560T is a heavy hydraulic percussive rock drill with independent rotation and separate flushing which ensures high reliability. It is equipped with ...

The Sandvik RDX5 is a robust hydraulic rock drill designed for face and long hole drilling as well as rock bolting. It is known for its exceptional durability ...

TECHNICAL SPECIFICATION Sandvik HEX1 hydraulic rock drill is designed for a maximum recommended diameter of 45 mm. Typical application is foundation drilling, road cutting, ...

TECHNICAL SPECIFICATION Sandvik HLX5 hydraulic rock drill is designed for face, bolt and long hole drilling. Sandvik HLX 5 is standard rock drill for example in Sandvik hydraulic ...

SCALABLE AUTOMATION With scalable automation packages, Sandvik DD422iE offers a wide range of valuable features for automatic drilling: Booms with hydraulic parallel hold without ...

The document provides technical specifications for the SANDVIK HL710 hydraulic rock drill. It is designed for long hole drilling between 64-115mm diameters. It has a power class of 19.5kW ...

This document provides the technical specifications for the Hydrastar 200 hydraulic rock drill. It details the applications, main characteristics, ...

TECHNICAL SPECIFICATION Sandvik HF820T hydraulic rock drill is designed for drilling 64-127 mm diameter holes. This rock drill belongs to Sandvik hydraulically controlled surface and ...

It is equipped with HL820ST hydraulic rock drill, LFRC700 drilling module, FR10 longhole boom, VIC control system, remote drilling control panel, one-hole automation (option) and FOPS ...

It is a fully hydraulic drilling machine with fast drilling efficiency. 1m/min. It can work at multiple angles of vertical, inclined and horizontal. It has automatic pressurization system to achieve ...

The Sandvik RD927L is a hydraulic top hammer rock drill designed for surface drilling with a hole diameter range of 89 to 140 mm and a maximum depth of 36 meters. It features a heavy-duty ...

It is equipped with a stabilizer to control contact between the drill bit and rock, ensuring optimal drilling



Specifications of hydraulic rock drill

performance and long rock tool service life. Together with new LT90 rock tools ...

Rock drill 100 has been developed to meet the special lubrication requirements of Epiroc DTH, pneumatic, and hydraulic rock drills. It is designed to maintain high oil film strength and ...

TECHNICAL SPECIFICATION Sandvik HL1560ST is a hydraulic top hammer rock drill designed for DL411 and DL421 underground longhole drills. It is capable of drilling 54 - 127 mm holes ...

TECHNICAL SPECIFICATION Sandvik RD106 hydraulic rock drill is designed for a maximum recommended hole diameter of 45 mm. Typical applications are foundation drilling, road ...

Using standard integral drill steel with air-flushing from an external compressor combined with a high performing hydraulic impact and rotation unit makes the HRD28X a lighter, powerful and ...

It is capable of drilling 54 - 89 mm holes up to 38 meters in depth, using T35, T38, T45, T51 MF-rods or 65 mm tube rods. Sandvik HL820ST hydraulic rock drill is designed to ensure high ...

DD421 DEVELOPMENT DRILL TECHNICAL SPECIFICATION Sandvik DD421 is a two boom electro-hydraulic jumbo for fast and accurate drilling in drifting and tunneling of 8 - 60 m² cross ...

Epiroc rock drills are core components to your drilling equipment. To ensure the safest and most efficient operation of your equipment, we offer a full line of support specific to these ...

On page 5 you will find a complete survey of the technical data, and on page 7 there is a guide to connection to hydraulic power sources and how to ensure that the rock drill is not overloaded.

FlexiROC T40 is a flexible and versatile tophammer drill rig, developed and designed for high performance in demanding construction applications. It is also a very efficient alternative for ...

Efficient control system Sandvik RD314 / RD315 are compact, robust and universal hydraulic percussive rock drill. It is known for its hydraulic efficiency and high penetration rate. The SBH ...

TECHNICAL SPECIFICATION Sandvik HL710S is a hydraulic top hammer rock drill designed for DL2710 and DL2720 underground longhole drills. It is capable of drilling 54 ... 89 mm holes ...

Thanks to the hydraulic system you don't have to worry about losing production time due to poor air pressure at large depths. We have also gone out of our way to design a system that helps ...

HL820T HYDRAULIC ROCK DRILL TECHNICAL SPECIFICATION Sandvik HL820T hydraulic rock drill is designed KEY FEATURES for drilling 64 - 127 ...



Specifications of hydraulic rock drill

Equipped with the new hydraulic boom SB20i, this drill has a large coverage of up to 25 m². Thanks to the one meter boom extension, the 360-degree rotation and full automatic ...

Sandvik RD1635CF is a heavy hydraulic percussive rock drill with independent rotation and separate flushing, which ensures high reliability. It is equipped with a stabilizer to control ...

This document provides technical specifications for the Atlas Copco ROC D3 surface drill rig. It details dimensions, engine specifications, hydraulic and ...

TECHNICAL SPECIFICATION Sandvik HLX1 hydraulic rock drill is designed for small diameter holes. Typical application is drilling / bolting in confined environment with Sandvik DS211L-M ...

TECHNICAL SPECIFICATION Sandvik HL1560T hydraulic rock drill is designed for surface long-hole drilling of Ø89...152 mm (31/2"...6") holes and it is standard on Pantera surface top ...

Web: <https://www.kwa-andries.co.za>